

# **Vehicle History Report**

#### **VEHICLE DETAILS**

Chassis number 1: GGH20-8088081

Manufacture date: 2014-04

Make: TOYOTA

Model: VELLFIRE

Body: DBA-GGH20W

Grade: 3.5Z GOLDEN EYES II

Engine: 2GR-FE

**Drive**: 2WD

Transmission: AT

Title information <sup>2</sup>:

S

Registered

 $\bigcirc$ 

Accident / Repair:



No problem



Odometer rollback:



No problem



Manufacturer recall:



No problem



Safety grade <sup>3</sup>:



\*\*\*\*



Contamination risk:



**Problem found** 



#### This vehicle does not qualify for Buyback Guarantee

**Average Market Price** 



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.





**About Buyback Guarantee** 

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2023-12-20 06:42:34. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

### **ACCIDENT / REPAIR HISTORY**

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

# **ODOMETER READINGS HISTORY**

Date reported	Data source	Odometer reading (Km)
2021-05-10	MLIT	67200
2023-05-17	MLIT	89300
2023-12-13	MIRIVE Saitama	95991

# **USE HISTORY**

Use in the contaminated regions <sup>4</sup> Radioactive contamination test fail <sup>5</sup> Commercial use

X Reported 

Not reported 

Not reported


# **DETAILED HISTORY**

Event date	Location	Odometer reading (Km)	Data source	Details
2014-04			TOYOTA	Manufactured
2014-05			MLIT	First registration
2014-05-14	Miyagi		MLIT	Last registration
2021-05-10		67200	MLIT	Inspection
2023-05-17	Miyagi	89300	MLIT	Inspection

2023-12-13 Saitama 95991 MIRIVE Saitama Auctioned

### **MANUFACTURER RECALL HISTORY**

Date reported Data source Affected part Details



#### **VEHICLE ASSESSMENT** •

#### **Overall Collision Safety Ratings**

Driver's seat			Front passenç	ger's seat	
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.46	****	96%	23.51	****	98%

<sup>\*</sup> In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

#### Braking performance tests 7



#### **VEHICLE SPECIFICATION**

1st gear ratio	3.300	2nd gear ratio	1.900
3rd gear ratio	1.420	4th gear ratio	1.000
5th gear ratio	0.713	6th gear ratio	0.608
Additional notes	NFTSK	Airbag position, capacity	
Body rear overhang	1015	Body type	MV&1BOX

Chassis number embossing position	FRONT FLOOR CROSSMEMBER RIGHT SIDE ON SURFACE	Classification code	0323
Cylinders	V6 WIDTH	Displacement	3450
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	280ps(206kW)/6200rpm	Engine maximum torque	35.1kg· m(344N· m)/4700rpm
Engine model	2GR	Frame type	SOLID STRUCTURE
Front shaft weight	1120	Front shock absorber type	
Front stabilizer type	TORSION BAR TYPE	Front tires size	215/60R17 96H 235/50R18 97V
Front tread	1.580 1.555	Fuel consumption	-
Fuel tank equipment	65	Grade	3.5Z GOLDEN EYES II
Height	1.900	Length	4.885
Main brakes type	HYDRAULIC TYPE, FRONT: DISK BACK: DISK	Make	TOYOTA
Maximum speed	180(推定)	Minimum ground clearance	0.160 0.170
Minimum turning radius	5.0		
iauius	5.9	Model	VELLFIRE
Model code	DBA-GGH20W	Model  Mufflers number	VELLFIRE
			VELLFIRE
Model code	DBA-GGH20W	Mufflers number	VELLFIRE  215/60R17 96H 235/50R18 97V
Model code  Rear shaft weight	DBA-GGH20W	Mufflers number Rear shock absorber type	215/60R17 96H 235/50R18
Model code  Rear shaft weight  Rear stabilizer type	DBA-GGH20W 840	Mufflers number Rear shock absorber type Rear tires size	215/60R17 96H 235/50R18 97V
Model code  Rear shaft weight  Rear stabilizer type  Rear tread	DBA-GGH20W 840 - 1.585 1.560	Mufflers number  Rear shock absorber type  Rear tires size  Reverse ratio	215/60R17 96H 235/50R18 97V 4.148 MACHINE CAR WHEEL制動

Wheel alignment 2WD Wheelbase 2.950
Width 1.840


# **AUCTION DATA**

Date: 2023-12-13, Auction: MIRIVE Saitama, Lot #: 75134

Date: 2023-12-13 Lot #: 75134 Auction name: MIRIVE Saitama Region: Saitama Make: **TOYOTA** Model: **VELLFIRE** 95991 2014 Mileage (km): Reg. year: Transmission: ΑT Displacement (cc): 3500 Color: **PEARL** Model code: GGH20W Result: sold Auction grade: 4 Problem type: No problem Problem scale: None Contaminated: OK No Airbag:

# **PHOTOS AND AUCTION SHEETS**

# MIRIVE出品票



























#### **GLOSSARY**

<sup>1</sup> Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

#### <sup>2</sup> Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

<sup>3</sup> Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- <sup>4</sup> Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- <sup>5</sup> Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- <sup>6</sup> Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- <sup>7</sup> Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2023 Car VX Limited. All rights reserved.