

Vehicle History Report

VEHICLE DETAILS

Chassis number ¹ :	GGH30-0043451	Title information ² :		Deregistered to Export	•
Manufacture date:	2022-03		u _	Export	
Make:	ТОУОТА	Accident / Repair:	Ĭ⇒	No problem	•
Model:	ALPHARD	Odometer rollback:		No problem	•
Body:	3BA-GGH30W	Manufacturer	G.		
Grade:	EXECUTIVE LOUNGE S	recall:	(3)	No problem	•
Engine:	2GR-FKS	Safety grade ³ :	8	****	>
Drive:	2WD	Contamination	4.4		
Transmission:	AT	risk:	<u></u>	No problem	~

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2025-06-13 10:38:26. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2022-04-06	MLIT	N/A
2024-12-14	TAA Hyogo	42450
2025-01-07	TAA Kinki	42454
2025-01-22	JAA HAA	42459
2025-04-18	USS Osaka	42459
2025-04-25	USS Osaka	42459

USE HISTORY

Use in the contaminated regions ⁴	Radioactive contamination test fail ⁵	Commercial use
Not reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2022-03			TOYOTA	Manufactured
2022-04			MLIT	First registration

2022-04-06	Kobe	N/A	MLIT	Inspection
2024-07-11	Kobe		MLIT	Last registration
2024-12-14		42450	TAA Hyogo	Auctioned
2025-01-07	Osaka	42454	TAA Kinki	Auctioned
2025-01-22		42459	JAA HAA	Auctioned
2025-04-18	Osaka	42459	USS Osaka	Auctioned
2025-04-25	Osaka	42459	USS Osaka	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
Not reported			

VEHICLE ASSESSMENT

Overall Collision Safety Ratings

Driver's seat			Front passen	ger's seat	
Points	Evaluation	Goal average	Points	Evaluation	Goal average
32.48	*****	90%	22.74	*****	95%

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests 7



VEHICLE SPECIFICATION

1st gear ratio		2nd gear ratio	
3rd gear ratio		4th gear ratio	
5th gear ratio		6th gear ratio	
Additional notes		Airbag position, capacity	
Body rear overhang		Body type	MV&1BOX
Chassis number embossing position		Classification code	102
Cylinders	4	Displacement	3450
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	301ps(221kW)/6600rpm	Engine maximum torque	36.8kg· m(361N· m)/4600~4700rpm
Engine model	2GR-FKS	Frame type	
Front shaft weight	1180	Front shock absorber type	
Front stabilizer type		Front tires size	225/60R17 99H
Front tread	1600	Fuel consumption	9.9
Fuel tank equipment	75	Grade	EXECUTIVE LOUNGE S
Height	193	Length	495
Main brakes type		Make	ТОУОТА
Maximum speed		Minimum ground clearance	
Minimum turning radius	5.8	Model	ALPHARD
Model code	3BA-GGH30W	Mufflers number	
Rear shaft weight	990	Rear shock absorber type	
Rear stabilizer type		Rear tires size	225/60R17 99H
Rear tread	1605	Reverse ratio	
Riding capacity	7	Side brakes type	

Specification code	19555	Stopping distance	
Transmission type	AT	Weight	2170
Wheel alignment	2WD	Wheelbase	3000
Width	185		

AUCTION DATA

Contaminated:

Date: 2024-12-14, Auction: TAA Hyogo, Lot #: 214

Date: 2024-12-14 Lot #: 214 Auction name: TAA Hyogo Region: Make: **TOYOTA** Model: **ALPHARD** Reg. year: 2022 Mileage (km): 42450 Displacement (cc): Transmission: 3500 IAT Color: **PEARL** Model code: GGH30W Result: unsold Auction grade: 4.5 Problem type: No problem Problem scale: None

Airbag:

OK

Date: 2025-01-07, Auction: TAA Kinki, Lot #: 80013

No

Date:	2025-01-07	Lot #:	80013
Auction name:	TAA Kinki	Region:	Osaka
Make:	ТОУОТА	Model:	ALPHARD
Reg. year:	2022	Mileage (km):	42454
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH30W
Result:	sold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2025-01-22, Auction: JAA HAA, Lot #: 79690

Date: 2025-01-22 Lot #: 79690

Auction name:	JAA HAA	Region:				
Make:	ТОУОТА	Model:	ALPHARD			
Reg. year:	2022	Mileage (km):	42459			
Displacement (cc):	3500	Transmission:	AT			
Color:	PEARL	Model code:	GGH30W			
Result:	available	Auction grade:	4.5			
Problem type:	No problem	Problem scale:	None			
Contaminated:	No	Airbag:	ОК			
Date: 2025-04-18, Auction	Date: 2025-04-18, Auction: USS Osaka, Lot #: 2027					
Date:	2025-04-18	Lot #:	2027			
Auction name:	USS Osaka	Region:	Osaka			
Make:	ТОУОТА	Model:	ALPHARD			
Reg. year:	2022	Mileage (km):	42459			
Displacement (cc):	3500	Transmission:	IA			
Color:	PEARL	Model code:	GGH30W			
Result:	available	Auction grade:	4.5			
Problem type:	No problem	Problem scale:	None			
Contaminated:	No	Airbag:	ОК			
Date: 2025-04-25, Auction	: USS Osaka, Lot #: 2029					
Date:	2025-04-25	Lot #:	2029			
Auction name:	<u>USS Osaka</u>	Region:	Osaka			
Make:	ТОУОТА	Model:	ALPHARD			
Reg. year:	2022	Mileage (km):	42459			
Displacement (cc):	3500	Transmission:	IA			
Color:	PEARL	Model code:	GGH30W			
Result:	available	Auction grade:	4.5			
Problem type:	No problem	Problem scale:	None			
Contaminated:	No	Airbag:	ОК			


PHOTOS AND AUCTION SHEETS

					1000	100				
出品番号		初度登録	車は	名 ドア形状			グレード			評価点
214		R 4	アルファート゛		5W	3	3.5I/o t / / / / / / / / / / / / / / / / / /			
		年	車歴	排気量	燃料			型式		外装 内装
		4 月	自家用	3500 cc	カ゛ソリン			BA-GGH30W		B C
	走 行	The spirit of the spirit	車 検	登録番号			譲渡書類期限	セールスポイント		ント
	42	,450 km	年 月				月日	★トヨタ	認定中古車歷★	
シフト	エアコン	•	外装色		乗車定	貝	最大積載量	TSS	RCM	
		パ−ル			7 人 k			両側パワ	ースライド	
IAT	AAC	カラー	- No.	内装色	輸入!	車 リサイクル預 18,470	リサイクル預託金	パワーバ	ックドア	
	204.030000	07		クロ			18,470 ⊟	フロントシートヒーター		
後日発送部品									純正装備	
保証書								tt" TV	SR 77 ABS 17B	7/12 PS PW
注意事項欄									車台番号	
JBL	JBL							G	GH30-0043	451
- 10 a									諸元	
								長さ	幅	高さ
シートコンソ外装小	ール傷	į	査員記入欄			1]	U1 A1 0 A1 0	U2	G	
		事務	局よりご案	内						

A:キズ U:ハコミ B:キズを伴うハコミ P:要塗装 W:補修跡 S:錆 C:腐食 G:フロントガラス点キズ XX:交換済み X:要交換 内・外装評価 5段階ランク/順(A・B・C・D・E) 1








A:キズ U:ヘコミ B:キズを伴うヘコミ P:要塗装 W:補修跡 S:錆 C:腐食 G:アロントガラス点キズ XX:交換済み X:要交換 内・外装評価 5段階ランク順(A・B・C・D・E) 2

















GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2025 Car VX Limited. All rights reserved.