

VEHICLE DETAILS

Chassis number ¹ :	C26-037176	Title information ² :	1	Deregistered to Export	\bigcirc
Manufacture date:	2012-02		u _		
Make:	NISSAN	Accident / Repair:	I ⇒	No problem	\checkmark
Model:	SERENA	Odometer rollback:		No problem	
Body:	DBA-C26	Manufacturer	6		
Grade:	RIDER BLACK LINE	recall:	9	No problem	\checkmark
Engine:	MR20DD	Safety grade ³ :	8	*****	0
Drive:	2WD	Contamination			
Transmission:	AT	risk:	Å	No problem	~

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2025-06-13 16:06:26. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2018-03-08	NAA Nagoya	76374
2018-03-17	JU Gifu	76374
2021-03-09	MLIT	91300
2023-03-16	MLIT	98600
2025-03-22	ТАА Нуодо	107603
2025-05-10	USS HAA Kobe	107603

USE HISTORY



2018-03-08	Aichi	76374	NAA Nagoya	Auctioned
2018-03-17	Gifu	76374	JU Gifu	Auctioned
2021-03-09		91300	MLIT	Inspection
2023-03-16	Wakayama	98600	MLIT	Inspection
2025-03-17	Wakayama		MLIT	Last registration
2025-03-22		107603	TAA Hyogo	Auctioned
2025-05-10		107603	USS HAA Kobe	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
Not reported			

VEHICLE ASSESSMENT

Overall Collision Safety Ratings

	Driver's s	seat		Front passeng	er's seat
Points	Evaluation	Goal average	Points	Evaluation	Goal average
32.9	*****	91%	22.14	*****	92%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷



VEHICLE SPECIFICATION

1st gear ratio		2nd gear ratio	
3rd gear ratio		4th gear ratio	
5th gear ratio		6th gear ratio	
Additional notes		Airbag position, capacity	
Body rear overhang		Body type	MV&1BOX
Chassis number embossing position		Classification code	
Cylinders		Displacement	1990
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	147ps(108kW) / 5600rpm	Engine maximum torque	21.4kg∙m(210N∙m) / 4400rpm
	MR20DD	Eromo tuno	
Engine model	WIRZUDD	Frame type	
Engine model Front shaft weight	930	Front shock absorber type	
-		Front shock absorber	195/60R16 89H
Front shaft weight		Front shock absorber type	195/60R16 89H
Front shaft weight Front stabilizer type	930	Front shock absorber type Front tires size	195/60R16 89H
Front shaft weight Front stabilizer type Front tread	930 1480	Front shock absorber type Front tires size Fuel consumption	
Front shaft weight Front stabilizer type Front tread Fuel tank equipment	930 1480 60	Front shock absorber type Front tires size Fuel consumption Grade	RIDER BLACK LINE
Front shaft weight Front stabilizer type Front tread Fuel tank equipment Height	930 1480 60	Front shock absorber type Front tires size Fuel consumption Grade Length	RIDER BLACK LINE 479
Front shaft weight Front stabilizer type Front tread Fuel tank equipment Height Main brakes type	930 1480 60	Front shock absorber type Front tires size Fuel consumption Grade Length Make Minimum ground	RIDER BLACK LINE 479
Front shaft weight Front stabilizer type Front tread Fuel tank equipment Height Main brakes type Maximum speed	930 1480 60 186	Front shock absorber type Front tires size Fuel consumption Grade Length Make Minimum ground clearance	RIDER BLACK LINE 479 NISSAN
Front shaft weight Front stabilizer type Front tread Fuel tank equipment Height Main brakes type Maximum speed Minimum turning radius	930 1480 60 186	Front shock absorber type Front tires size Fuel consumption Grade Grade Length Make Minimum ground clearance	RIDER BLACK LINE 479 NISSAN
Front shaft weight Front stabilizer type Front tread Fuel tank equipment Height Main brakes type Maximum speed Minimum turning radius	930 1480 60 186 186 5.7 5.7 DBA-C26	Front shock absorber type Front tires size Fuel consumption Grade Grade Length Make Minimum ground clearance Model Mufflers number Rear shock absorber	RIDER BLACK LINE 479 NISSAN
Front shaft weight Front stabilizer type Front tread Fuel tank equipment Height Main brakes type Maximum speed Minimum turning radius Model code	930 1480 60 186 186 5.7 5.7 DBA-C26	Front shock absorber type Front tires size Fuel consumption Grade Grade Length Length Make Minimum ground clearance Model Mufflers number Rear shock absorber type	RIDER BLACK LINE 479 NISSAN SERENA

Specification code		Stopping distance	
Transmission type	AT	Weight	1650
Wheel alignment	2WD	Wheelbase	2860
Width	173		

AUCTION DATA

Date: 2018-03-08, Auction: NAA Nagoya, Lot #: 89

Date:	2018-03-08	Lot #:	89
Auction name:	NAA Nagoya	Region:	Aichi
Make:	NISSAN	Model:	SERENA
Reg. year:	2012	Mileage (km):	76374
Displacement (cc):	2000	Transmission:	IAT
Color:	BRILLIANT WHITE PEARL	Model code:	C26
Result:	sold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

Date: 2018-03-17, Auction: JU Gifu, Lot #: 5205

Date:	2018-03-17	Lot #:	5205
Auction name:	<u>JU Gifu</u>	Region:	Gifu
Make:	NISSAN	Model:	SERENA
Reg. year:	2012	Mileage (km):	76374
Displacement (cc):	2000	Transmission:	IAT
Color:	PEARL	Model code:	C26
Result:	sold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

Date: 2025-03-22, Auction: TAA Hyogo, Lot #: 118

Date:	2025-03-22	Lot #:	118

Auction name:	ТАА Нуодо	Region:	
Make:	NISSAN	Model:	SERENA
Reg. year:	2012	Mileage (km):	107603
Displacement (cc):	2000	Transmission:	IAT
Color:	PEARL	Model code:	C26
Result:	sold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

Date: 2025-05-10, Auction: USS HAA Kobe, Lot #: 53505

Date:	2025-05-10	Lot #:	53505
Auction name:	USS HAA Kobe	Region:	
Make:	NISSAN	Model:	SERENA
Reg. year:	2012	Mileage (km):	107603
Displacement (cc):	2000	Transmission:	IA
Color:	PEARL	Model code:	C26
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

PHOTOS AND AUCTION SHEETS





















A:キズ U:ヘコミ B:キズを伴うヘコミ P:要塗装 W:補修跡 S:錆 C:腐食 G:フロントガラス点キズ XX:交換済み X:要交換 内・外装評価 5段階ランク順(A・B・C・D・E) 1



	甲醛值病酶	甲醛 (自主用以外以配入) 勞死		2000		6	A New York
53505 H24/3		章 者 日間 セレフ	неняваль + 50		-K 719-	210	4 A B
年後	4	月日	シフト	IAT	利 正 語 カワ	MAN TV	(B) (A)
走行	107, 603	la	* 5	AAC	セールスポイン		10 101
州元色 合 パール	ê¶ →	and the second s					
着 ガソリン きまき		PERC-INCRETEN.					
	<u>8) E #</u>	1.7 4 1	國波書簡有 月	Mar ie			
U919N 1	2, 260 🖻						
の注意事項(御聖・不具合語所および状態等)			単 台 胞	C26-037	176		
	*****			917N .			

O使意具服告

シートヘタリ ルーム**内一部**汚れ 小キズ小凹



x

×

a 高さ

(01)

.

[得出内寸]的

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan , the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

⁴ **Use in the contaminated regions** – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

⁵ Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

⁶ Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test , rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

⁷ **Braking Performance Tests** – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2025 Car VX Limited. All rights reserved.