

Vehicle History Report

VEHICLE DETAILS

Chassis number ¹ :	YV1FSA9H6F1343405	Title information ² :	, CI	Deregistered to Export	•
Manufacture date:	2015		u _		
Make:	VOLVO	Accident / Repair:	Ĭ⇒	No problem	•
Model:	S60	Odometer rollback:		No problem	•
Body:	CBA-FB6304T	Manufacturer	G.		
Grade:	POLESTAR	recall:	(2)	No problem	S
Engine:	B6304T	Safety grade ³ :	8	No data	•
Drive:	4WD	Contamination	٨٨		
Transmission:	AT	risk:	À	No problem	~

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2025-08-08 22:01:59. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2021-12-22	MLIT	57400
2024-01-10	MLIT	58400
2025-07-30	CAA Chubu	62091

USE HISTORY

Use in the contaminated regions ⁴ Radioactive contamination test fail ⁵ Commercial use

Not reported

Not reported

Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2015			VOLVO	Manufactured
2015-01			MLIT	First registration
2021-12-22		57400	MLIT	Inspection
2024-01-10	Matsumoto	58400	MLIT	Inspection
2025-06-17	Matsumoto		MLIT	Last registration

2025-07-30 Aichi 62091 CAA Chubu **Auctioned**

MANUFACTURER RECALL HISTORY

Date reported Data source Affected part **Details**

Not reported

VEHICLE ASSESSMENT 5

Overall Collision Safety Ratings

Driver's seat		Front passenger's seat			
Points	Evaluation	Goal average	Points	Evaluation	Goal average
0		0%	0		0%

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests 7

Dry road



Wet road




1st gear ratio	2nd gear ratio	
3rd gear ratio	4th gear ratio	
5th gear ratio	6th gear ratio	
Additional notes	Airbag position, capacity	
Body rear overhang	Body type	SEDAN

Chassis number embossing position		Classification code	2263
Cylinders		Displacement	2950
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	350ps(258kW)/5250rpm	Engine maximum torque	51.0kg· m(500N· m)/3000 ~ 4750rpm
Engine model	B6304T	Frame type	
Front shaft weight	1080	Front shock absorber type	
Front stabilizer type		Front tires size	245/35ZR20
Front tread	1580	Fuel consumption	
Fuel tank equipment	67	Grade	POLESTAR
Height	148	Length	463
Main brakes type		Make	VOLVO
Maximum speed		Minimum ground clearance	
Minimum turning radius	0.4	Model	000
Willing ladius	6.1m	wodei	S60
Model code	CBA-FB6304T	Mufflers number	500
			560
Model code	CBA-FB6304T	Mufflers number Rear shock absorber	245/35ZR20
Model code Rear shaft weight	CBA-FB6304T	Mufflers number Rear shock absorber type	
Model code Rear shaft weight Rear stabilizer type	CBA-FB6304T 700	Mufflers number Rear shock absorber type Rear tires size	
Model code Rear shaft weight Rear stabilizer type Rear tread	CBA-FB6304T 700 1575	Mufflers number Rear shock absorber type Rear tires size Reverse ratio	
Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity	CBA-FB6304T 700 1575 5	Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type	
Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity Specification code	CBA-FB6304T 700 1575 5 16794	Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type Stopping distance	245/35ZR20

Date: 2025-07-30, Auction: CAA Chubu, Lot #: 38021

Date:	2025-07-30	Lot #:	38021
Auction name:	CAA Chubu	Region:	Aichi
Make:	VOLVO	Model:	S60
Reg. year:	2015	Mileage (km):	62091
Displacement (cc):	3000	Transmission:	FAT
Color:	WHITE	Model code:	FB6304T
Result:	sold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS



A:47~U:A:3、B:47~を伴うA:3、P:要塗装 W:補修跡 S:錆 C:腐食、穴 G:フロンわ~57点47~XX:交換済み X:要交換 欠:欠品 内・外装評価 5段階5沙頂(A・B・C・D・E) 1





























GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2025 Car VX Limited. All rights reserved.