Vehicle History Report

VEHICLE DETAILS

Chassis number [1]:	NE51-154282
Manufacture date:	2006-10
Make:	NISSAN
Model:	ELGRAND
Body:	CBA-NE51
Grade:	RIDER
Engine:	VQ35DE
Drive:	4WD
Transmission:	AT

Title information [2]:	**Deregistered to Export**	✓
Accident / Repair:	**No problem**	✓
Odometer rollback:	**No problem**	✓
Manufacturer recall:	**No problem**	✓
Safety grade [3]:	★★★★★★	✓
Contamination risk:	**No problem**	✓

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2025-10-29 09:34:40. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2021-09-21	MLIT	52900
2023-10-04	MLIT	57600
2025-10-08	CAA Chubu	67572

USE HISTORY

Use in the contaminated regions [4]	Radioactive contamination test fail [5]	Commercial use
Not reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2006-10			NISSAN	Manufactured
2006-10			MLIT	First registration
2021-09-21		52900	MLIT	Inspection
2023-10-04	Nishimikawa	57600	MLIT	Inspection
2025-10-08	Nishimikawa		MLIT	Last registration

2025-10-08	Aichi	67572	CAA Chubu	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
Not reported			

VEHICLE ASSESSMENT [6]

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
29.65	★★★★★	82%	22.3	★★★★★★	93%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests [7]



VEHICLE SPECIFICATION

1st gear ratio		**2nd gear ratio**	
3rd gear ratio		**4th gear ratio**	
5th gear ratio		**6th gear ratio**	
Additional notes		**Airbag position, capacity**	
Body rear overhang		**Body type**	MV&1BOX

Chassis number embossing position		**Classification code**	
Cylinders		**Displacement**	3490
Electric engine type		**Electric engine maximum output**	
Electric engine maximum torque		**Electric engine power**	
Engine maximum power	240ps(177kW)/6000rpm	**Engine maximum torque**	36.0kg· m(353N· m)/3200rpm
Engine model	VQ35DE	**Frame type**	
Front shaft weight	1160	**Front shock absorber type**	
Front stabilizer type		**Front tires size**	215/60R17 96H
Front tread	1535	**Fuel consumption**	
Fuel tank equipment	76	**Grade**	RIDER
Height	190	**Length**	488
Main brakes type		**Make**	NISSAN
Maximum speed		**Minimum ground clearance**	
Minimum turning radius	5.7m	**Model**	ELGRAND
Model code	CBA-NE51	**Mufflers number**	
Rear shaft weight	1100	**Rear shock absorber type**	
Rear stabilizer type		**Rear tires size**	215/60R17 96H
Rear tread	1540	**Reverse ratio**	
Riding capacity	8	**Side brakes type**	
Specification code		**Stopping distance**	
Transmission type	AT	**Weight**	2260
Wheel alignment	4WD	**Wheelbase**	2950
Width	179		

AUCTION DATA

Date: 2025-10-08, Auction: CAA Chubu, Lot #: 90424

Date:	2025-10-08	Lot #:	90424
Auction name:	CAA Chubu	Region:	Aichi
Make:	NISSAN	Model:	ELGRAND
Reg. year:	2006	Mileage (km):	67572
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	NE51
Result:	sold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS

出品番号	初度登録	車名	ドア形状	グレード	評価点	
90424	H18年	エルグランド	5W	ライダー 4WD	4.5	
初出品	10月	車歴 / 排気量	燃料	型式	外装	内装
		自家用 / 3500 cc	ガソリン	CBA-NE51	A	B

走行	車検	登録番号	譲渡書類期限
67,572 km	年 月		月 日

シフト	エアコン	外装色	乗車定員	最大積載量
IAT	AAC	パール	8 人	kg
		カラーNo. / 内装色	輸入車	リサイクル預託金
		QX1 / 系		16,080円

セールスポイント
★電動カーテン

後日発送部品
車両取説

純正装備
ナビ カワ エアB アルミ PS PW

注意事項欄

車台番号
NE51-154282

諸元

長さ	幅	高さ

検査員記入欄
室内薄汚れ
シートすれ小
外装小傷有り



事務局よりご案内
売切りスタート

A:キズ U:ヘコミ B:キズを伴うヘコミ P:要塗装 W:補修跡 S:錆 C:腐食、穴 G:フロントガラス点キズ XX:交換済み X:要交換 欠:欠品 内・外装評価 5段階ランク順(A・B・C・D・E) 1


Rider
AUTECH


37-52

GLOSSARY

[1] **Chassis number** – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

[2] **Title information:**
Registered – qualified for driving in Japan
Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change
Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped
Deregistered to Export – not qualified for driving in Japan , the vehicle is determined to be exported

[3] **Determining the overall collision safety performance evaluation** – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

[4] **Use in the contaminated regions** – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

[5] **Radioactive contamination test** – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

[6] **Japan New Car Assessment Program** – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test , rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

[7] **Braking Performance Tests** – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.