



Vehicle History Report

VEHICLE DETAILS

Chassis number ¹: GGH20-8086034

Manufacture date: 2014

Make: TOYOTA

Model: VELLFIRE

Body: DBA-GGH20W

Grade: 3.5Z GOLDEN EYES II

Engine: 2GR-FE

Drive: 2WD

Transmission: AT

Title information ²:  **Deregistered to Export** 

Accident / Repair:  **No problem** 

Odometer rollback:  **No problem** 

Manufacturer recall:  **No problem** 

Safety grade ³:  **★★★★★★** 

Contamination risk:  **No problem** 

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2026-02-17 09:07:27. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2021-03-08	MLIT	48500
2023-03-07	MLIT	58700
2025-04-23	LAA Shikoku	66690
2025-06-06	LAA Okayama	66695
2025-10-18	JU Gifu	66695
2025-10-22	USS JAA	66695
2025-10-23	Ippatsu Stock	66695
2026-01-23	USS Nagoya	66840

USE HISTORY

Use in the contaminated regions ⁴	Radioactive contamination test fail ⁵	Commercial use
Not reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
------------	----------	-----------------------	-------------	---------

2014			TOYOTA	Manufactured
2014-03			MLIT	First registration
2021-03-08		48500	MLIT	Inspection
2023-03-07	Fukuyama	58700	MLIT	Inspection
2025-03-13	Fukuyama		MLIT	Last registration
2025-04-23	Ehime	66690	LAA Shikoku	Auctioned
2025-06-06	Okayama	66695	LAA Okayama	Auctioned
2025-10-18	Gifu	66695	JU Gifu	Auctioned
2025-10-22		66695	USS JAA	Auctioned
2025-10-23		66695	Ippatsu Stock	Auctioned
2026-01-23	Aichi	66840	USS Nagoya	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
---------------	-------------	---------------	---------

 Not reported

VEHICLE ASSESSMENT ⁶

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.46	★★★★★	96%	23.51	★★★★★	98%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷

Dry road



41.7 m

Wet road



47.1 m

VEHICLE SPECIFICATION

1st gear ratio	3.300	2nd gear ratio	1.900
3rd gear ratio	1.420	4th gear ratio	1.000
5th gear ratio	0.713	6th gear ratio	0.608
Additional notes	NFTSK	Airbag position, capacity	
Body rear overhang	1015	Body type	MV&1BOX
Chassis number embossing position		Classification code	0332
Cylinders	V6 WIDTH	Displacement	3450
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	206/6200(NET)	Engine maximum torque	344/4700(NET)
Engine model	2GR-FE	Frame type	SOLID STRUCTURE
Front shaft weight	1130	Front shock absorber type	
Front stabilizer type	TORSION BAR TYPE	Front tires size	215/60R17 96H 235/50R18 97V
Front tread	1.580 1.555	Fuel consumption	-
Fuel tank equipment	65	Grade	3.5Z GOLDEN EYES II
Height	1.900	Length	4.885
Main brakes type		Make	TOYOTA
Maximum speed	180	Minimum ground clearance	0.160 0.170
Minimum turning radius	5.9	Model	VELLFIRE
Model code	DBA-GGH20W	Mufflers number	
Rear shaft weight	850	Rear shock absorber type	

Rear stabilizer type	-	Rear tires size	215/60R17 96H 235/50R18 97V
Rear tread	1.585 1.560	Reverse ratio	4.148
Riding capacity	7	Side brakes type	
Specification code	16088	Stopping distance	50(100)
Transmission type	AT	Weight	1980
Wheel alignment	2WD	Wheelbase	2.950
Width	1.840		

AUCTION DATA

Date: 2025-04-23, Auction: LAA Shikoku, Lot #: 3073

Date:	2025-04-23	Lot #:	3073
Auction name:	LAA Shikoku	Region:	Ehime
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2014	Mileage (km):	66690
Displacement (cc):	3500	Transmission:	DA
Color:	PEARL	Model code:	GGH20W
Result:	unsold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2025-06-06, Auction: LAA Okayama, Lot #: 4354

Date:	2025-06-06	Lot #:	4354
Auction name:	LAA Okayama	Region:	Okayama
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2014	Mileage (km):	66695
Displacement (cc):	3500	Transmission:	DA
Color:	PEARL	Model code:	GGH20W
Result:	sold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None

Contaminated:	No	Airbag:	OK
---------------	----	---------	----

Date: 2025-10-18, Auction: JU Gifu, Lot #: 5430

Date:	2025-10-18	Lot #:	5430
Auction name:	JU Gifu	Region:	Gifu
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2014	Mileage (km):	66695
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH20W
Result:	unsold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2025-10-22, Auction: USS JAA, Lot #: 15171

Date:	2025-10-22	Lot #:	15171
Auction name:	USS JAA	Region:	
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2014	Mileage (km):	66695
Displacement (cc):	3500	Transmission:	IA
Color:	PEARL	Model code:	GGH20W
Result:	available	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2025-10-23, Auction: Ippatsu Stock, Lot #: 5436

Date:	2025-10-23	Lot #:	5436
Auction name:	Ippatsu Stock	Region:	
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2014	Mileage (km):	66695
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH20W

Result:	available	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2026-01-23, Auction: USS Nagoya, Lot #: 3589

Date:	2026-01-23	Lot #:	3589
Auction name:	USS Nagoya	Region:	Aichi
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2014	Mileage (km):	66840
Displacement (cc):	3500	Transmission:	IA
Color:	PEARL	Model code:	GGH20W
Result:	available	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS

LFA 出品申込書

LIGHT AUTO AUCTION



出品番号 3073	初度登録年月 26年3月	車名 フェルファイア	ドア 5	形状 SW	グレード ☆5区 ゴールデンアイズII	評価点 4
車歴 自家用	型式 DBA-GGH20W	排気量 2500	CC cc	定員 7		


車検 年月日 走行 66690 km	フロア AP	セルシボ ユーザー買取 ホーフルサト調整シート ワイワースライドドア パワーバックドア 外品20インチAW 車検済	[外装] B
	コラム タツミユ	MTのみ 記入 速	[内装] B
外装色 シルバー	冷房 AAC	燃料 ガソリン・軽油	純正品のみ 丸印
外装カラーNo. 070	輸入車	年・不明	PS (カワシマ) PW (パイナンド) AW (アルミホイール) SR (サンルーフ) カワ (カワシマ) AB (アブリック) TV (テレビ) FB (フロントフォグ)

新車保証書 ディーラー捺印あるもの	取扱説明書	R券 ¥16,260	名変期限 月 日迄
----------------------	-------	------------	--------------

注意事項 後日品 (スピア) 1 不具合箇所等 アレイアサウインド 純正メーカーOPTE, プリマテック	車台No. GGH20-8086034	ロック車
--	------------------------	------

検査員記入 ガラス (A) X要ス 室内シート (A) コゲ・穴・汚・破れ	ノットルズレ 外装7ヶ所
---	-----------------

長さ cm	幅 cm	高さ cm	積載量 kg
----------	---------	----------	-----------



ⓧ
スピア

小A有・小U有

現在色を記入










LAA 出品申込書



出品番号 4354	初度登録年月 26年3月	車名 ヴェルファイア 5W	ドア形状 5W	グレード 7.ゴールドアイズII	評価点 4.5
車歴 自家用・()	型式 DBA - 44M20W	排気量 2500 cc	定員 7人		


車検 年月日 66693	フロア AD	MTのみ 記入 速	セー ルス ポ イ ン ト ★エ-サ-買取車. ★11-7Lサ-シート ★W117-スライドドア. ★117-バックドア. ★2F00 20 127AW	[外装] B
走行 + 万 千 百 十 - 6 6 6 9 3	コラム 2	冷房 AAC	燃料 ガソリン・軽油・()	[内装] B
外装色 117-LL	色替車は色替と記入	輸入車 年・不明	車・並 D車・並	純正品のみ 丸印
PS (フロント)	PW (パワーウィンド)	AW (アルミホイール)	SR (サンルーフ)	

新車保証書 ディーラー印あるもの	取扱説明書	R券 ¥ 16,260	名変期限 月 日迄
---------------------	-------	-------------	--------------

注意事項 後日品 [] 不具合箇所等 ・ヴェルファイア ・L/D	車台No. 44M20-2086034
---	------------------------

検査員記入 ガラス A X 要ス 室内シート A コゲ・穴・汚れ・破れ 外足廻り

長さ cm	幅 cm	高さ cm	積載量 kg
-------	------	-------	--------



現在色を記入







出号 No. [2016] 5430	年式 H26 / 3月	車名・グレード ヴェルファイア 3.5ZゴールデンアイズII	ドア 5 形状 ワゴン	評価点 4.5
	2WD・4WD 2WD	排気量 3500 cc	型式 DBA - GGH20W	内装 B

車歴 自家用 ・ ()
車検 年 月
走行 6万6千695 km () <small>マイル</small>
色 パール 色替 カラーNo. 070
保証書 有 ・ 無

シフト IAT
冷房 AAC
燃料 ガソリン

セールスポイント

- ・トヨタプレミアムサウンド
- ・社外20インチアルミ&社外足まわり
- ・両側パワースライドドア
- ・パワーバックドア
- ・ハーフレザーシート

乗車定員	7 名
積載量	kg
総重量	kg

装 備 品	S/R	純A/W	P/S	P/W	ABS
	純TV	純ナビ	革シート	外ナビ	エアB
ナビ型番:					

モデル年式	年	ハンドル	左・右	ディーゼル・並行
リサイクル料金 16,260 円 預託済				


名変期限	月 日
------	-----

後日品

【出品店申告欄(不良箇所・欠品・注意事項等)】
 ・メーカーナビ&メーカー後席モニター

【検査員記入】

ハンズオン
 H.A.V.



FW	キズ・ヒビ・石・割れ	シート内装	コゲ・穴・汚レ・シミ・破レ
----	------------	-------	---------------

登録No.	
車台No.	GGH20-8086034

A-キズ C-腐食 E-エクボ S-サビ U-凹み W-補修 XX-交換済

車庫証明用	長さ	cm	幅	cm	高さ	cm
-------	----	----	---	----	----	----

工具	有・無	ジャッキ	有・無
----	-----	------	-----














JAAフレッシュコーナー

15171	車種 (自動車以外は記入)	排気量	型式	評価点
		3500	DBA-GGH20W	4.5
	初年度登録年月	車名	グレード	車種
	H26/3月	トヨタ ヴェルファイア	3.5Z ゴールデンアイズII	2WD
車検	年月日	シフト	IAT	燃費
走行	66,700 km	冷	閉 AAC	セルストップ
外色	パール	カラー	070	トヨタプレミアムサウンド
燃料	ガソリン	内装		OPメーカーナビ&後席モニター
輸入	輸入	ハンドル		パワーパッドドア
リサイクル	16,260円	7人		両側パワースライドドア
O注意事項 (重要-不具合箇所および状態等)		車台	GGH20-8086034	スマートキー
社外20インチアルミ		シリアル		
社外足まわり				

O検査員報告
 ルーム内汚れ
 小キズ小凹



【荷台内寸】
 長さ 幅 高さ (cm)



グリーンコーナー

3589	車種 (他車種に比べた場合)	排気量	型式	年式
		3500	DBA-GGH20W	4.5
初年度登録年月	車名	グレード	駆動	内装 B
H26/3月	トヨタ ヴェルファイア	3.5Z ゴールデンアイズII	2WD	
車検	年月日	シフト	IAT	SR カワ
走行	66,840 km	冷房	AAC	PS ナビ
外色	パール	カラー	070	TV エア
燃料	ガソリン	有	有	セールスポイント
輸入区分		月	日	★★ 社外20インチアルミ
リサイクル料	16,260円	7人		★★ スマートキー2個
注意事項	★★ 両側パワースライドドア			
				★★ 後席モニター
				★★ 2GR V6 エンジン
				車台 No GGH20-8086034
				シリアル No


○検査員報告

外品足廻り

シートフチシワ

ルーム内一部汚れキズ

小キズ小凹



[測定内寸] 約 X X (cm)

長さ 488 cm 幅 184 cm 高さ 190 cm

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped

Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

⁴ Use in the contaminated regions – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

⁵ Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

⁶ Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

⁷ Braking Performance Tests – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2026 Car VX Limited. All rights reserved.