



Vehicle History Report

VEHICLE DETAILS

Chassis number ¹: GP3-3006629

Manufacture date: 2013-09-11

Make: HONDA

Model: FREED SPIKE

Body: DAA-GP3

Grade: HYBRID

Engine: LEA

Drive: 2WD

Transmission: AT

Title information ²:



**Deregistered
Temporarily**



Accident / Repair:



No problem



**Odometer
rollback:**



No problem



**Manufacturer
recall:**



No problem



Safety grade ³:



★★★★★



**Contamination
risk:**



Problem found



This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2026-05-09 14:19:43. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2022-09-08	MLIT	88600
2024-09-10	MLIT	106900
2026-04-30	USS Tokyo	119603


USE HISTORY

Use in the contaminated regions ⁴	Radioactive contamination test fail ⁵	Commercial use
Reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2013-09-11			HONDA	Manufactured
2013-09			MLIT	First registration
2022-09-08		88600	MLIT	Inspection
2024-09-10	Tsuchiura	106900	MLIT	Inspection
2026-04-30	Tsuchiura		MLIT	Last registration

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
 Not reported			

VEHICLE ASSESSMENT ⁶

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
32.64	★★★★★	91%	22.31	★★★★★	93%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷

Dry road  44.5 m

Wet road  48.1 m

VEHICLE SPECIFICATION

1st gear ratio	2.526 ~ 0.421: CONTINUOUSLY VARIABLE TRANSMISSION	2nd gear ratio	-
3rd gear ratio	-	4th gear ratio	-
5th gear ratio	-	6th gear ratio	-
Additional notes	SIDE AIR BAG, SIDE CURTAIN AIR BAGは注文 SPECIFICATION	Airbag position, capacity	

Body rear overhang	665	Body type	STATION WAGON
Chassis number embossing position	ENGINE ROOM TOOL INSIDE DASH BOARD UPPER FRONT SURFACE	Classification code	0013
Cylinders	4	Displacement	1490
Electric engine type		Electric engine maximum output	10/1500
Electric engine maximum torque	92/500	Electric engine power	9
Engine maximum power	88PS(65KW)/5400RPM	Engine maximum torque	13.5KG· M(132N· M)/4200RPM
Engine model	LEA-MF6	Frame type	SOLID STRUCTURE
Front shaft weight	800	Front shock absorber type	
Front stabilizer type	TORSION· BAR TYPE	Front tires size	185/65R15 88S
Front tread	1.480	Fuel consumption	24.0
Fuel tank equipment	42	Grade	HYBRID
Height	1.715	Length	4.210
Main brakes type	HYDRAULIC TYPE· FRONT DISK· BACK LEADING· TRAILING	Make	HONDA
Maximum speed		Minimum ground clearance	0.150
Minimum turning radius	5.2	Model	FREED SPIKE
Model code	DAA-GP3	Mufflers number	
Rear shaft weight	590	Rear shock absorber type	
Rear stabilizer type	TORSION· BAR TYPE	Rear tires size	185/65R15 88S

Rear tread	1.475	Reverse ratio	4.510 ~ 1.641: CONTINUOUSLY VARIABLE TRANSMISSION
Riding capacity	5	Side brakes type	
Specification code	17007	Stopping distance	53(100)
Transmission type	AT	Weight	1390
Wheel alignment	2WD	Wheelbase	2.740
Width	1.695		

AUCTION DATA

Date: 2026-04-30, Auction: USS Tokyo, Lot #: 55456

Date:	2026-04-30	Lot #:	55456
Auction name:	USS Tokyo	Region:	Chiba
Make:	HONDA	Model:	FREED SPY KHV
Reg. year:	2013	Mileage (km):	119603
Displacement (cc):	1500	Transmission:	IA
Color:	PEARL WHITE	Model code:	GP3
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK


PHOTOS AND AUCTION SHEETS

朝プライムコーナー

55456	車種 (販売店指定車)	排気量	型式	階級
		1500	DAA-GP3	4
初年度登録年月	車名	年式	グレード	駆動
H25/9月	ホンダ フリードスパイクハイブリッド	50	ハイブリッド	2WD
車検				年 月 日
走行				119,603 km
外装色	色番	カラー名	シフト	
パールシロ		NH788P	IAT	
燃料	内装色	ブラック	冷房	AAC
ガソリン	ハンドル		セールスポイント	
			●社外ナビ	
			●ワンセグ	
			●バックモニター	
			●左側パワースライドドア	
Uサイクル	期保証	12,090円	乗員	5人
○注意事項 (検査・不具合修理および付帯等)				車台号
				GP3-3006629
				シリアル号

○検査員指摘

- ハンドルスレ
- シートシミ・ヘタリ
- ルーム内汚れ・キズ
- ドアミラーキズ
- ホイールBPキズ
- 各キズ凹



[両台内寸]の X X (mm)

長さ	mm	幅	mm	高さ	mm
----	----	---	----	----	----

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped

Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

⁴ Use in the contaminated regions – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

⁵ Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

⁶ Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

⁷ Braking Performance Tests – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2026 Car VX Limited. All rights reserved.