



Vehicle History Report

VEHICLE DETAILS

Chassis number ¹: ANH20-8193109

Manufacture date: 2011-11

Make: TOYOTA

Model: VELLFIRE

Body: DBA-ANH20W

Grade: 2.4V

Engine: 2AZ-FE

Drive: 2WD

Transmission: AT

Title information ²:



**Deregistered
Temporarily**



Accident / Repair:



No problem



**Odometer
rollback:**



No problem



**Manufacturer
recall:**



No problem



Safety grade ³:



★★★★★



**Contamination
risk:**



No problem



This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2026-05-09 14:34:26. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2016-01-12	TAA Hiroshima	58401
2023-02-21	MLIT	70600
2025-02-28	MLIT	73300
2026-04-21	TAA Kinki	73755
2026-04-30	USS Tokyo	73760
2026-05-06	CAA Kyoyuu	73760
2026-05-06	JAA HAA	73760

USE HISTORY

Use in the contaminated regions ⁴	Radioactive contamination test fail ⁵	Commercial use
Not reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2011-11			TOYOTA	Manufactured

2011-12			MLIT	First registration
2016-01-12	Hiroshima	58401	TAA Hiroshima	Auctioned
2023-02-21		70600	MLIT	Inspection
2025-02-28	Naniwa	73300	MLIT	Inspection
2026-04-06	Naniwa		MLIT	Last registration
2026-04-21	Osaka	73755	TAA Kinki	Auctioned
2026-04-30	Chiba	73760	USS Tokyo	Auctioned
2026-05-06		73760	CAA Kyouyuu	Auctioned
2026-05-06		73760	JAA HAA	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
✔ Not reported			



VEHICLE ASSESSMENT ⁶

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.46	★★★★★	96%	23.51	★★★★★	98%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷

Dry road		41.7 m
Wet road		47.1 m

VEHICLE SPECIFICATION

1st gear ratio	2.396 ~ 0.428(MANUAL MODE ATTACHING): CONTINUOUSLY VARIABLE TRANSMISSION	2nd gear ratio	-
3rd gear ratio	-	4th gear ratio	-
5th gear ratio	-	6th gear ratio	-
Additional notes	NRXQK	Airbag position, capacity	
Body rear overhang	1015	Body type	MV&1BOX
Chassis number embossing position	FRONT FLOOR CROSSMEMBER RIGHT SIDE ON SURFACE	Classification code	0319
Cylinders	4	Displacement	2360
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	170PS(125KW)/6000RPM	Engine maximum torque	22.8KG· M(224N· M)/4000RPM
Engine model	2AZ-FE	Frame type	SOLID STRUCTURE
Front shaft weight	1070	Front shock absorber type	
Front stabilizer type	TORSION BAR TYPE	Front tires size	215/60R17 96H
Front tread	1.580	Fuel consumption	11.6
Fuel tank equipment	65	Grade	2.4V
Height	1.890	Length	4.870
Main brakes type	HYDRAULIC TYPE, FRONT: DISK BACK: DISK	Make	TOYOTA
Maximum speed	180	Minimum ground clearance	0.160

Minimum turning radius	5700	Model	VELLFIRE
Model code	DBA-ANH20W	Mufflers number	
Rear shaft weight	850	Rear shock absorber type	
Rear stabilizer type	-	Rear tires size	215/60R17 96H
Rear tread	1.585	Reverse ratio	1.668
Riding capacity	8	Side brakes type	
Specification code	16086	Stopping distance	50(100)
Transmission type	AT	Weight	1890
Wheel alignment	2WD	Wheelbase	2.950
Width	1.830		

AUCTION DATA

Date: 2016-01-12, Auction: TAA Hiroshima, Lot #: 2119

Date:	2016-01-12	Lot #:	2119
Auction name:	TAA Hiroshima	Region:	Hiroshima
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2011	Mileage (km):	58401
Displacement (cc):	2400	Transmission:	IAT
Color:	BLACK	Model code:	ANH20W
Result:	sold	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2026-04-21, Auction: TAA Kinki, Lot #: 33026

Date:	2026-04-21	Lot #:	33026
--------------	------------	---------------	-------

Auction name:	TAA Kinki	Region:	Osaka
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2011	Mileage (km):	73755
Displacement (cc):	2400	Transmission:	IAT
Color:	BLACK	Model code:	ANH20W
Result:	sold	Auction grade:	3.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2026-04-30, Auction: USS Tokyo, Lot #: 20079

Date:	2026-04-30	Lot #:	20079
Auction name:	USS Tokyo	Region:	Chiba
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2011	Mileage (km):	73760
Displacement (cc):	2400	Transmission:	IA
Color:	BLACK	Model code:	ANH20W
Result:	available	Auction grade:	4.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2026-05-06, Auction: CAA Kyouyuu, Lot #: 24627

Date:	2026-05-06	Lot #:	24627
Auction name:	CAA Kyouyuu	Region:	
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2011	Mileage (km):	73760
Displacement (cc):	2400	Transmission:	IAT
Color:	BLACK	Model code:	ANH20W
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2026-05-06, Auction: JAA HAA, Lot #: 96910


Date:	2026-05-06	Lot #:	96910
Auction name:	JAA HAA	Region:	
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2011	Mileage (km):	73760
Displacement (cc):	2400	Transmission:	AT
Color:	BLACK	Model code:	ANH20W
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS

出品番号	初度登録	車名	ドア形状	グレード	評価点
2119	H23 年	ヴェルファイア	5W	2.4V	4.5
	12月	車歴 自家用	排気量 2400cc	燃料 ガソリン	型式 DBA-ANH20W
					外装 B
					内装 B

走行	車検	登録番号	名変期限日	セールスポイント		
58,401km	28年12月	山口 300メ 429	月 日	★オークションデビュー★ 純正8インチHDDナビ・TV (X61) ・バックモニター・フロント 両席パワーシート・純正フリップ ダウン後席モニター (R59C) 左右パワースライドドア		
シフト	エアコン	外装色	リサイクル預託金	最大積載量	乗車定員	輸入車
IAT	AAC	知	16,360円	kg	8人	
			カラーNo.	内装色		
			202	ベージュ系		
後日発送部品						
注意事項欄						
スマートキー1個後送 後席モニターリモコン後送						
純正装備						
北 TV SR ABS 17B 7M PS PW						
車台番号						
ANH20-8193109						
諸元						
長さ		幅		高さ		

検査員記入欄
外装小傷有り エンブレム違い
事務局よりご案内



A:キズ(線キズ含む) B:板金要(ヘコミ) C:サビ・腐食 E:軽微な小ヘコミ(エクボ) H:色アセ W:補修跡 X:交換要す XX:交換跡有 内装補助評価5段階ランク順(A・B・C・D・E)




出品番号	初度登録	車名	ドア形状	グレード	評価点
33026	H 23年	ヴェルファイア	5W	2.4V	3.5
		車歴	排気量	燃料	
	12月	自家用	2400 cc	ガソリン	DBA-ANH20W
					外装 内装
					D C

走行		車検	登録番号	譲渡書類期限	セールスポイント	
73,755 km		年 月		月 日		
シフト	エアコン	外装色		乗車定員	最大積載量	
IAT	WAC	加		8 人	kg	
		カラー No.	内装色	輸入車	リサイクル預託金	
		202	ベージュ 系		16,360 円	
後日発送部品					純正装備	
					ナビ TV SR ABS I7B PS PW	

注意事項欄			車台番号		
NHZN-X61G			ANH20-8193109		
			諸元		
長さ 487		幅 183	高さ 189		

検査員記入欄
室内汚れ タッチP跡 外装小傷有り ローダウン 社外アルミホイール
事務局よりご案内



A: 転 U: A1 B: 転を伴うA1 P: 異音振 W: 補修跡 S: 錆 C: 腐食 G: 70点か75点転 XX: 交換済み X: 要交換 内・外装評価 5段階評価(A・B・C・D・E) 2




ワンオーナーコーナー

20079	車種 (型式) (輸入)	排気量	型式	年式												
		2400	DBA-ANH20W	4.5												
	初年度登録年月	車名	グレード	駆動												
	H23/12月	トヨタ	50	2WD												
		ヴェルファイア	2.4V													
<table border="1"> <tr> <td>シフト</td> <td>IAT</td> <td>SA</td> <td>MA</td> <td>PS</td> <td>PA</td> </tr> <tr> <td></td> <td></td> <td>カワ</td> <td>TV</td> <td>ナビ</td> <td>エア</td> </tr> </table>					シフト	IAT	SA	MA	PS	PA			カワ	TV	ナビ	エア
シフト	IAT	SA	MA	PS	PA											
		カワ	TV	ナビ	エア											
車検 年月日		走行	冷房	AAC	セールスポイント											
		73,760 km			サンルーフ											
外色	色番	カラー	純正8インチナビ・TV 純正フリップダウンモニター HIDヘッドライト スマートキー&プッシュスタート													
クロ	-	202														
燃料	ガソリン	内装色														
車検	輸入区分	ハンドル														
リサイクル	16,360円	8人														
○注意事項 (※後・不具合修理および点検時)			原台地	ANH20-8193109												
			シリアル地													

○検品時確認


- 外ホイールキズ
- ハンドルノブスレ
- トリムキズ汚れ シートカバー取付
- 各キズ凹



【両台寸法】	X	X	(mm)
長さ	487 mm	幅	183 mm
		高さ	189 mm

初度登録 23.12 年 月	車 名 ヴェルファイア		ドア・形状 5・W	グレード 2.4V		駆動	4	
型 式 DBA ANH20W	排気量 2,400 CC	燃料 ガソリン	車 歴 自家用	定員(最大) 8 名	積載量(最大) Kg	輸入車 年行'A		
ミッション IAT	エアコン AAC	カラーNo. 202	外 装 色 クロ		装 備 PS 7 ⁺ PW TV I7B ABS SR			保証書 取説
走行距離 73,760 km	車 検 年 月	登録ナンバー	ほか装備		車台番号 ANH20-8193109	預託金 16,360 円		B

セールスポイント	特記事項・不具合箇所
<ul style="list-style-type: none"> ★サンルーフ ★純正8インチナビ・TV ★純正フリップダウンモニター ★HIDヘッドライト ★スマートキー&プッシュスタート 	車内汚れ AWキズ ウスキズ・小凹
注意事項	




ver. 00000001





初年度登録	車名	ドア形式	グレード	駆動	総合評価						
23.12月	ヴェルファイア	5-W	2.4V		4						
型式	排気量	燃料	車種	定員(最大)	積載量(最大)	輸入車					
DBA ANH20W	2,400 _{CC}	ガソリン	自家用	8名	Kg	車種別					
ミッション	エアコン	カラー	外装色	PS	PW	17B	ABS	SR	保証書	取扱	内装評価
IAT	AAC	202	クロ	ナビ	TV						B
走行距離	車検	登録ナンバー	注か設備	車台番号	積込金						
73,760 _{km}				ANH20-8193109	16,360 _円						

セールスポイント	特記事項・不具合箇所
<ul style="list-style-type: none"> ★サンルーフ ★純正8インチナビ・TV ★純正フリップダウンモニター ★HIDヘッドライト ★スマートキー&プッシュスタート 	車内汚れ ANキズ ウスキズ・小凹
注意事項	





¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped

Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

⁴ Use in the contaminated regions – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

⁵ Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

⁶ Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

⁷ Braking Performance Tests – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2026 Car VX Limited. All rights reserved.