



Vehicle History Report

VEHICLE DETAILS

Chassis number ¹: ANH20-8235292

Manufacture date: 2012-06

Make: TOYOTA

Model: VELLFIRE

Body: DBA-ANH20W

Grade: 2.4 Z

Engine: 2AZ-FE

Drive: 2WD

Transmission: AT

Title information ²:



**Deregistered
Temporarily**



Accident / Repair:



No problem



**Odometer
rollback:**



No problem



**Manufacturer
recall:**



No problem



Safety grade ³:



★★★★★★



**Contamination
risk:**



No problem



This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2026-06-10 10:54:59. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2023-04-27	MLIT	67100
2025-04-07	MLIT	80800
2026-05-28	USS Tokyo	88870

USE HISTORY


Use in the contaminated regions ⁴	Radioactive contamination test fail ⁵	Commercial use
Not reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2012-06			TOYOTA	Manufactured
2012-06			MLIT	First registration
2023-04-27		67100	MLIT	Inspection
2025-04-07	Kasukabe	80800	MLIT	Inspection
2026-05-15	Kasukabe		MLIT	Last registration

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
---------------	-------------	---------------	---------

 Not reported

VEHICLE ASSESSMENT ⁶

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.46	★★★★★	96%	23.51	★★★★★	98%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷

Dry road



41.7 m

Wet road



47.1 m

VEHICLE SPECIFICATION

1st gear ratio	2.396 ~ 0.428	2nd gear ratio	-
3rd gear ratio	-	4th gear ratio	-
5th gear ratio	-	6th gear ratio	-
Additional notes	NRXSK	Airbag position, capacity	
Body rear overhang	1015	Body type	MV&1BOX

Chassis number embossing position	FRONT FLOOR CROSSMEMBER RIGHT SIDE ON SURFACE	Classification code	0326
Cylinders	4	Displacement	2360
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	170PS(125KW)/6000RPM	Engine maximum torque	22.8KG*M(224N*M)/4000RPM
Engine model	2AZ-FE	Frame type	SOLID STRUCTURE
Front shaft weight	1050	Front shock absorber type	
Front stabilizer type	TORSION BAR TYPE	Front tires size	235/50R18 97V
Front tread	1555	Fuel consumption	11.6
Fuel tank equipment	65	Grade	2.4 Z
Height	1.900	Length	4.885
Main brakes type	HYDRAULIC TYPE, FRONT: DISK BACK: DISK	Make	TOYOTA
Maximum speed	180	Minimum ground clearance	0.170
Minimum turning radius	5900	Model	VELLFIRE
Model code	DBA-ANH20W	Mufflers number	
Rear shaft weight	830	Rear shock absorber type	
Rear stabilizer type	-	Rear tires size	235/50R18 97V
Rear tread	1560	Reverse ratio	1.668
Riding capacity	8	Side brakes type	
Specification code	16086	Stopping distance	50(100)
Transmission type	AT	Weight	1880

Wheel alignment 2WD

Wheelbase 2950

Width 1.840

AUCTION DATA

Date: 2026-05-28, Auction: USS Tokyo, Lot #: 25988

Date: 2026-05-28 Lot #: 25988

Auction name: [USS Tokyo](#) Region: Chiba

Make: TOYOTA Model: VELLFIRE

Reg. year: 2012 Mileage (km): 88870

Displacement (cc): 2400 Transmission: IA

Color: BLACK Model code: ANH20W

Result: available Auction grade: 4.5

Problem type: No problem Problem scale: None

Contaminated: No Airbag: OK

PHOTOS AND AUCTION SHEETS

プライムコーナー


25988	車種 (販売用以外車種)	乗人数	型式	排気量
	初年度登録年月 H24/6月	車名 トヨタ ヴェルファイア	グレード 2.4Z	2400 DBA-ANH20W
				4.5
				B

車検	年	月	日	ソフト	IAT	SH	PS	PI
走行	88,870	km		冷房	AAC	カワ	TV	ナビ
外色	クロ	色番	202	車検	有			
燃料	ガソリン	カラー	202	車検	有			
型式		輸入	成	カ	ハンド			
					右			

リサイクル	16,260円	乗車定員	8人	車検	
注意事項 (車種・不具合等による状況等)				車検	
保証書・取説・ナビ取説・8-CAS				後日	
				車検	
				車検	ANH20-8235292
				車検	

○検査員検査

- 外品マフラー?
- スタッドレス?
- ルーム内汚れスレ
- ダッシュ板ベタつき
- 各キズ凹



[両台内寸]約	X	X	(cm)
長さ	490 cm	幅	184 cm
		高さ	190 cm

1 Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

2 Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped

Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

3 Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

4 Use in the contaminated regions – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

5 Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

6 Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

7 Braking Performance Tests – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2026 Car VX Limited. All rights reserved.