

Vehicle History Report

VEHICLE DETAILS

Chassis number 1: WVWZZZ1KZ9W100514

Manufacture date: 2009

Make: VOLKSWAGEN

Model: GOLF

Body: ABA-1KBYD

Grade: GTI PIRELLI

Engine: BYD

Drive: 2WD

Transmission: AT

Title information ²:

Registered

ea 🗳

Accident / Repair:

٦₽

No problem

No problem

Odometer rollback:

No problem

~

Manufacturer recall:



No problem

No problem

Safety grade ³:



 \bigcirc

Contamination risk:



No problem

This vehicle does not qualify for Buyback Guarantee



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.

Average Market Price



¥610,000

About Buyback Guarantee

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2023-06-08 19:43:41. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2015-12-05	HAA Kobe	44762
2020-06-29	MLIT	62900
2022-06-14	MLIT	72700
2023-06-03	USS HAA Kobe	78390

USE HISTORY

Use in the contaminated regions ⁴ Radioactive contamination test fail ⁵ Commercial use

Solution Not reported Not reported Not reported Not reported Not reported Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2009			VOLKSWAGEN	Manufactured
2009-06			MLIT	First registration
2015-12-05	Hyogo	44762	HAA Kobe	Auctioned
2020-06-29		62900	MLIT	Inspection

2022-06-14	Kobe	72700	MLIT	Inspection
2023-03-31	Kobe		MLIT	Last registration
2023-06-03	Hyogo	78390	USS HAA Kobe	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
Not reported			

VEHICLE ASSESSMENT 5

Overall Collision Safety Ratings

Driver's seat			Front passeng	er's seat	
Points	Evaluation	Goal average	Points	Evaluation	Goal average
28.03	****	78%	20.15	****	84%

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷



VEHICLE SPECIFICATION

1st gear ratio	3.461	2nd gear ratio	2.045
3rd gear ratio	1.464	4th gear ratio	1.078
5th gear ratio	1.093	6th gear ratio	0.921

Body rear overhang	Additional notes	GPS ANTENNA ATTACHING・ル-フ ANTENNA ATTACHING SPECIFICATION EQUIPPED	Airbag position, capacity	-
embossing position ENGINE INSIDE RIGHT SIDE code Classification code 0221,0222 0421,0422 Cylinders 4 Displacement 1980 Electric engine maximum cutpue Electric engine maximum power Engine maximum torque Engine maximum power Engine model EYD Frame type Front shaft weight Front stabilizer type Front stabilizer type Front tread 1530 Fuel consumption 1465 1480 1500 Main brakes type Maximum speed Face color of the color of th	=	-	Body type	PASSENGER USE
Electric engine type	embossing	ENGINE INSIDE RIGHT SIDE		0221,0222
Electric engine type Electric engine maximum torque Engine maximum torque Engine maximum power 169/5500 ~ 6300(NET) Engine maximum power 169/5500 ~ 6300(NET) Engine maximum torque BYD Frame type - Front shaft weight 910 920 Front shock absorber type Front tread 1530 Fuel consumption 55 Grade GTI PIRELLI Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Maximum speed ABA-1KBYD Model code ABA-1KBYD Rear shaft weight A300/2200 ~ 5200(NET) Flegical maximum corque maximum coupture maximum coupture maximum coupture maximum coupture maximum corque maximum coupture maximum corque corque maximum corque maximum corque maximum corque corque maximum corque maximum corque maximum corque cor	Cylinders	4	Displacement	1980
maximum torque power Engine maximum power 169/5500 ~ 6300(NET) Engine maximum torque 300/2200 ~ 5200(NET) Engine model BYD Frame type - Front shaft weight 910 920 Front shock absorber type - Front stabilizer type - Front tires size 225/40ZR1892YEL Front tread 1530 Fuel consumption 12.2 Fuel tank equipment 55 Grade GTI PIRELLI Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Maximum speed - Minimum ground clearance - Minimum turning radius - Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530 Rear shock -	<u>-</u>	_	maximum	-
Engine maximum power 169/5500 ~ 6300(NET) maximum torque NET) Engine model BYD Frame type - Front shaft weight 910 920 Front shock absorber type - Front stabilizer type - Front tread 1530 Fuel consumption 12.2 Fuel tank equipment 55 Grade GTI PIRELLI Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Maximum speed - Minimum ground clearance Minimum turning radius - Color Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530 Rear shaft weight 530 Rear shaft weight 530	_	-	_	-
Front shaft weight 910 920 Front shock absorber type - Front stabilizer type - Front tires size 225/40ZR1892YEL Front tread 1530 Fuel consumption 12.2 Fuel tank equipment 55 Grade GTI PIRELLI Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Maximum speed - Minimum ground clearance Minimum turning radius - Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530	=	169/5500 ~ 6300(NET)	maximum	•
weight 910 920 Front stabilizer type Front tread 1530 Fuel consumption Fuel consumption Fuel tank equipment For tires size 225/40ZR1892YEL Front tread 1530 Fuel consumption Fuel consumption Fuel tank equipment Fuel consumption Fuel tank equipment F	Engine model	BYD	Frame type	-
type Front tires size 225/402R1892YEL Front tread 1530 Fuel consumption 12.2 Fuel tank equipment 55 Grade GTI PIRELLI Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Minimum ground clearance Minimum turning radius Model GOLF Model code ABA-1KBYD Rear shaft weight 530 Rear shock Rear shock		910 920		-
Fuel tank equipment 55 Grade GTI PIRELLI Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Maximum speed - Minimum ground clearance Minimum turning radius - Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530		-	Front tires size	225/40ZR1892YEL
Height 1465 1480 1500 Length 4225 Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Maximum speed - Minimum ground clearance Minimum turning radius - Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530	Front tread	1530		12.2
Main brakes type OIL PRESSURE DISK OIL PRESSURE DISK Make VOLKSWAGEN Maximum speed - Minimum ground clearance Minimum turning radius - Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530		55	Grade	GTI PIRELLI
Maximum speed - GOLF Minimum turning radius - Model GOLF Model code ABA-1KBYD - Mufflers number - Rear shaft weight 530 Rear shock -	Height	1465 1480 1500	Length	4225
Maximum speed - ground clearance Minimum turning radius - Model GOLF Model code ABA-1KBYD Mufflers number - Rear shaft weight 530	Main brakes type	OIL PRESSURE DISK OIL PRESSURE DISK	Make	VOLKSWAGEN
radius Model GOLF Model code ABA-1KBYD Mufflers number Rear shaft weight 530 Rear shock	Maximum speed	-	ground	-
Model code ABA-1KBYD number Rear shaft weight 530 Rear shock	_	-	Model	GOLF
Rear shatt weight 530	Model code	ABA-1KBYD		-
	Rear shaft weight	530		-

Rear stabilizer type	-	Rear tires size	225/40ZR1892YEL
Rear tread	1505	Reverse ratio	3.989
Riding capacity	5	Side brakes type	-
Specification code	16176	Stopping distance	9.55(100)
Transmission type	AT	Weight	1440 1450
Wheel alignment	2WD	Wheelbase	2575
Width	1760		

AUCTION DATA

Date: 2015-12-05, Auction: HAA Kobe, Lot #: 80874

Date:	2015-12-05	Lot #:	80874
Auction name:	HAA Kobe	Region:	Hyogo
Make:	VOLKSWAGEN	Model:	GOLF
Reg. year:	2009	Mileage (km):	44762
Displacement (cc):	2000	Transmission:	FA
Color:	BLACK	Model code:	1KBYD
Result:	unsold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2023-06-03, Auction: USS HAA Kobe, Lot #: 53096


Date:	2023-06-03	Lot #:	53096
Auction name:	USS HAA Kobe	Region:	Hyogo
Make:	VOLKSWAGEN	Model:	GOLF
Reg. year:	2009	Mileage (km):	78390
Displacement (cc):	2000	Transmission:	FA
Color:	BLACK	Model code:	1KBYD

Result: available Auction grade: 4.5


Problem type: No problem Problem scale: None

Contaminated: No Airbag: OK

PHOTOS AND AUCTION SHEETS
















30MAXコーナー









GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2023 Car VX Limited. All rights reserved.