



Vehicle History Report

VEHICLE DETAILS

Chassis number ¹: ANH20-8225224

Manufacture date: 2012-05

Make: TOYOTA

Model: VELLFIRE

Body: DBA-ANH20W

Grade: 2.4Z

Engine: 2AZ-FE

Drive: 2WD

Transmission: AT

Title information ²:



Deregistered to Export



Accident / Repair:



No problem



Odometer rollback:



No problem



Manufacturer recall:



No problem



Safety grade ³:



★★★★★



Contamination risk:



No problem



This vehicle does not qualify for Buyback Guarantee

Average Market Price



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.



¥0

[About Buyback Guarantee](#)

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2023-08-02 01:11:52. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2019-02-28	USS Tokyo	39100
2019-05-24	USS Nagoya	39100
2019-06-10	AUCNET	39100
2019-07-22	AUCNET	39100
2019-07-26	MLIT	39100
2021-07-27	MLIT	57500
2023-07-21	MIRIVE Aichi	80245

USE HISTORY

Use in the contaminated regions ⁴	Radioactive contamination test fail ⁵	Commercial use
Not reported	Not reported	Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2012-05			TOYOTA	Manufactured

2012-05			MLIT	First registration
2019-02-28	Chiba	39100	USS Tokyo	Auctioned
2019-05-24	Aichi	39100	USS Nagoya	Auctioned
2019-06-10		39100	AUCNET	Auctioned
2019-07-22		39100	AUCNET	Auctioned
2019-07-26		39100	MLIT	Inspection
2021-07-27	Yokohama	57500	MLIT	Inspection
2023-07-21	Aichi	80245	MIRIVE Aichi	Auctioned
2023-07-28	Yokohama		MLIT	Last registration

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
✔ Not reported			



VEHICLE ASSESSMENT ⁶

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.46	★★★★★	96%	23.51	★★★★★	98%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷

Dry road		41.7 m
Wet road		47.1 m

VEHICLE SPECIFICATION

1st gear ratio	2.396 ~ 0.428(MANUAL MODE ATTACHING): CONTINUOUSLY VARIABLE TRANSMISSION	2nd gear ratio	-
3rd gear ratio	-	4th gear ratio	-
5th gear ratio	-	6th gear ratio	-
Additional notes	NFXSK	Airbag position, capacity	
Body rear overhang	1015	Body type	MV&1BOX
Chassis number embossing position	FRONT FLOOR CROSSMEMBER RIGHT SIDE ON SURFACE	Classification code	0278
Cylinders	4 WIDTH	Displacement	2360
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	125/6000(NET)	Engine maximum torque	224/4000(NET)
Engine model	2AZ-FE	Frame type	SOLID STRUCTURE
Front shaft weight	1060	Front shock absorber type	
Front stabilizer type	TORSION BAR TYPE	Front tires size	235/50R18 97V
Front tread	1.555	Fuel consumption	11.6
Fuel tank equipment	65	Grade	2.4Z
Height	1.900	Length	4.885
Main brakes type	HYDRAULIC TYPE, FRONT: DISK BACK: DISK	Make	TOYOTA
Maximum speed	180	Minimum ground clearance	0.170

Minimum turning radius	5.9	Model	VELLFIRE
Model code	DBA-ANH20W	Mufflers number	
Rear shaft weight	860	Rear shock absorber type	
Rear stabilizer type	-	Rear tires size	235/50R18 97V
Rear tread	1.560	Reverse ratio	1.668
Riding capacity	7	Side brakes type	MACHINE CAR WHEEL SHAPE(DRUM TYPE)
Specification code	16086	Stopping distance	50(100)
Transmission type	AT	Weight	1920
Wheel alignment	2WD	Wheelbase	2.950
Width	1.840		

AUCTION DATA

Date: 2019-02-28, Auction: USS Tokyo, Lot #: 25547

Date:	2019-02-28	Lot #:	25547
Auction name:	USS Tokyo	Region:	Chiba
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	39100
Displacement (cc):	2400	Transmission:	AT
Color:	PEARL	Model code:	ANH20W
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2019-05-24, Auction: USS Nagoya, Lot #: 35132

Date:	2019-05-24	Lot #:	35132
-------	------------	--------	-------

Auction name:	USS Nagoya	Region:	Aichi
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	39100
Displacement (cc):	2400	Transmission:	AT
Color:	PEARL	Model code:	ANH20W
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2019-06-10, Auction: AUCNET, Lot #: 18056

Date:	2019-06-10	Lot #:	18056
Auction name:	AUCNET	Region:	
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	39100
Displacement (cc):	2400	Transmission:	IAT
Color:	P WHITE	Model code:	ANH20W
Result:	unsold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2019-07-22, Auction: AUCNET, Lot #: 18016

Date:	2019-07-22	Lot #:	18016
Auction name:	AUCNET	Region:	
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	39100
Displacement (cc):	2400	Transmission:	IAT
Color:	P WHITE	Model code:	ANH20W
Result:	cancel	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

Date: 2023-07-21, Auction: MIRIVE Aichi, Lot #: 70058

Date:	2023-07-21	Lot #:	70058
Auction name:	MIRIVE Aichi	Region:	Aichi
Make:	TOYOTA	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	80245
Displacement (cc):	2400	Transmission:	AT
Color:	PEARL	Model code:	ANH20W
Result:	sold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS

プライムコーナー

No. 25547	車歴 (自家用以外は記入)	排気量 2400	型式 DBA-ANH20W	評価点 4
	初年度登録年月 24/5月	車名 ヴェルファイア	グレード W/5 2.4Z	2WD 4WD
車検	31年 6月	シフト TAT	特高 (S B) (A B) (P S) (P W) カワ	
走行	39,147 Km	冷房 AAC	セールスポイント ★ワンオーナー ★バックカメラ ★純正8インチHDDナビ★セグ ★両側リフトスライドドア ★Wカーブル★車庫シカ	
外色	パール	カラー紙 070	※車検時 (保証書付) 有・無	
燃料	ガソリン・軽油	内装色	※登録と一致に保管下さい	
型式	輸入区分 ディーラー・並行	ハンドル 左・右	名義変更期限 3月31日	
リサイクル 預託金	16260円	乗車定員 7人	登録地 所沢 313 板 8000	
○注意事項 (検査・不具合箇所および状態等)			車台No ANH20-8225224	
★新車16インチAW(タイヤ)★クワイ ★新車17インチP&B★ETC★シート ★エーサー買取車 ★初出品 ★純正18インチAW(夏タイヤ)★4本車内			シリアルNo	
○検査員報告 (USS使用欄)				
ハフ、Vス 今年4				

室内寸約	x	x	(cm)
長さ	cm	幅	高さ
	cm	cm	cm

(車検証上の寸法) A2 W1 W2 W3 W4 W5 W6 W7 W8 W9 W10 W11 W12 W13 W14 W15 W16 W17 W18 W19 W20 W21 W22 W23 W24 W25 W26 W27 W28 W29 W30 W31 W32 W33 W34 W35 W36 W37 W38 W39 W40 W41 W42 W43 W44 W45 W46 W47 W48 W49 W50 W51 W52 W53 W54 W55 W56 W57 W58 W59 W60 W61 W62 W63 W64 W65 W66 W67 W68 W69 W70 W71 W72 W73 W74 W75 W76 W77 W78 W79 W80 W81 W82 W83 W84 W85 W86 W87 W88 W89 W90 W91 W92 W93 W94 W95 W96 W97 W98 W99 W100



ゴールデンコーナー


35132	車種 (自家用以外は記入)	排気量	型式	評価点
		2400cc	DBA-ANH20W	
初年度登録年月	車名	グレード	2WD 4WD	4 B
24/5月	ヴェルファイア	5 24Z		

年	月	シフト	純正品	S/R	純AW	P/S	R/W
		AT	カラ	EV	EC	EP	EP
走行	39,156 Km	冷機	セールスポイント				
外色	パール白		両側ハーフ・スライド				
内色	070	車庫付	サンルーフ・HDDナビ				
燃料	ガソリン・軽油	有/無	7Lセグ・ETC				
輸入区分	ディーラー・数行	名義変更期間	バックカメラ				
		月 日					

リサイクル料	6260円	車庫定員	7人	登録地	
車庫No		車台No	ANH20-8225224		
シリアルNo					


○注意事項 (修理・不具合箇所および状態等)
 傷・取・N取・24Z取 後送

○検査員報告 (USS使用欄)
 ルーム内1番汚染取
 シートカバー取付
 社外ナビ
 スポットライト
 ホイール



台内寸法 X X (cm)
 さ cm 幅 cm 高さ cm (車庫取上の寸法)


















SUVといえは
GOOD SPEED











[152] 70058	初年度登録 H24 5	車名 ヴェルファイア	ドア 4	グレード 2.4Z	駆動 2WD 4WD	評価点 4
愛知	西暦 2012	型式 DBA - ANH20W	排気量 2,400	保証年 有・無	定員 7	

走行 80245	マメ km	原積 5	年 7	月 070	色 (Col.No) パール	燃料 ◎・D・電気()	外装 C	内装 C
-------------	----------	---------	--------	----------	-------------------	-----------------	---------	---------

シフト AT	エアコン AAC	リサイクル標紙 16,260	円	PS	PW	AW	エアB	ABS	革	SR	ナビ	DTV
-----------	-------------	-------------------	---	----	----	----	-----	-----	---	----	----	-----

<注意事項> ★純正8インチナビ、DTV ★サンルーフ	多買期限 月 日 輸入車 ディーラー・並行 左H・右H	<セールスポイント> ★バックカメラ ★HIDヘッドライト ★クルーズコントロール ★両側パワースライドドア
-----------------------------------	--	--

<検査員記入欄>

Fガラス (キズ・~~ヒビ~~・ヒビ・リペア跡・X要)

内装 (キズ・スレ・~~汚れ~~・シミ・コゲ・穴・キレ・破れ・割れ)

オーディオ (無し・穴) / タイヤ (スタッドレス)

ホイル・CPキスワレ
 小キス傷
 ドアミラ
 キスワレ
 割傷

外装波々
右シ板ベタつき
室内動物臭
シートカバー付

車種	ナビ取付	ロム/SD	ECB	リモコン	登録番号	車台番号
アンバー	スベキ	キーレス	スマート		三重 301ら 8418	8225224





¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped

Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

⁴ Use in the contaminated regions – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

⁵ Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

⁶ Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

⁷ Braking Performance Tests – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2023 Car VX Limited. All rights reserved.